



Product Catalogue



Service line:

NAIROBI +254 111 318238, MOMBASA +254 742537825



Website:

www.vitronappliances.co.ke



TV



SPEAKER



WATER DISPENSER



KETTLE



BLENDER



FREEZER



REFRIGERATOR

ABOUT US

VITRON was founded in 2005, VITRON is one of Kenya's leading home appliance suppliers. We are committed to bring the digital world to everyone, every family, every organization.

At present, Vitron has 7 factories in Nairobi, over 500 employees, including more than 50 engineers, who guarantee the quality of our products!

VITRON factory has production of TV, speakers, water dispenser, kettle and other home appliances. We have sales service centers in all major cities and towns to provide you with the best after-sales service, allowing you to enjoy high-quality digital work, life and entertainment experience!

Smart life. We are together!



CONTENTS

01

TV



Page 01-13

02

SPEAKER



Page 14-20

03

WATER DISPENSER



Page 21-23

04

KETTLE



Page 24

05

BLENDER



Page 25

06

FREEZER



Page 26

07

REFRIGERATOR



Page 27-28

2005

FOUNDED IN

7

FACTORIES


50+

ENGINEERS

500+

EMPLOYEES

100"



MODEL: HTC100USG

Fuction: AC 110-260V, DVB-T2, Bluetooth, Energy Saving, Wide View, Colour Enhancer, Google TV, Youtube, Netflix, Facebook

Resolution: UHD 3840*2160 16: 9



Smart TV | HDMI | USB | DVB T2 | AV

85"

75"



MODEL: HTC8588USWO / HTC7588USWO


Fuction: AC 90-260V, DVB-T2 . S2, Bluetooth, Energy Saving, Wide View, Colour Enhancer, Smart TV, WebOS, Youtube, Netflix, Facebook, Magic Remote control.

Resolution: UHD 3840*2160 16: 9



Smart TV | HDMI | USB | DVB T2/S2 | AV

65"
55"



MODEL: HTC6588USWO / HTC5588USWO

Fuction: AC 90-260V, DVB-T2 . S2, Bluetooth, Energy Saving, Wide View, Colour Enhancer, Smart TV, WebOS, Youtube, Netflix, Facebook, Magic Remote control.

Resolution: UHD 3840*2160 16: 9



Smart TV | HDMI | USB | DVB T2/S2 | AV

55"



MODEL: HTC5568US

Fuction: AC 90-260V, DVB-T2, Bluetooth, Energy Saving, Wide View, Colour Enhancer, Smart TV, Andriod TV, Youtube, Netflix, Facebook.

Resolution: UHD 3840*2160 16: 9



Smart TV | HDMI | USB | DVB T2 | AV

50"



MODEL: HTC5068US


Fuction: AC 90-260V, DVB-T2, Bluetooth, Energy Saving, Wide View, Colour Enhancer, Smart TV, Andriod TV, Youtube, Netflix, Facebook.

Resolution: UHD 3840*2160 16: 9



Smart TV | HDMI | USB | DVB-T2 | AV

50"



MODEL: HTC5008FS

Fuction: AC 90-260V, DVB-T2, Energy Saving, Wide View, Colour Enhancer, Smart TV, Andriod TV, Youtube, Netflix, Facebook.

Resolution: 1920*1080 16: 9



Smart TV | HDMI | USB | DVB-T2 | AV

32"



MODEL: HTC3218

Fuction: AC 90-260V, DVB-T2, Energy Saving, Wide View, Colour Enhancer

Resolution: 1366*768 16:9



HDMI

USB

DVB-T2

AV

24"



MODEL: HTC2446D

Fuction: AC 90-260V, DVB-T2, Energy Saving, Wide View, Colour Enhancer

Resolution: 1366*768 16:9



HDMI

USB

DVB-T2

AV



MODEL: HTC55QUS

Fuction: AC 90-260V, DVB-T2, Bluetooth, Energy Saving, Wide View, Colour Enhancer, Smart TV, Andriod TV, Youtube, Netflix, Facebook.

Resolution: UHD 3840*2160 16: 9



Smart TV | HDMI | USB | DVB-T2 | AV



MODEL: HTC5088QFS

Fuction: AC 90-260V, DVB-T2, Energy Saving, Wide View, Colour Enhancer, Smart TV, Andriod TV, Youtube, Netflix, Facebook.

Resolution: 1920*1080 16: 9



Smart TV | HDMI | USB | DVB-T2 | AV

43"



MODEL: HTC4300QFS

Fuction: AC 90-260V, DVB-T2, Energy Saving, Wide View, Colour Enhancer, Smart TV, Andriod TV, Youtube, Netflix, Facebook.

Resolution: 1920*1080 16:9



Smart TV | HDMI | USB | DVB-T2 | AV

40"



MODEL: HTC4088QFS

Fuction: AC 90-260V, DVB-T2, Energy Saving, Wide View, Colour Enhancer, Smart TV, Andriod TV, Youtube, Netflix, Facebook.

Resolution: 1366*768 16:9



Smart TV | HDMI | USB | DVB-T2 | AV

32"



MODEL: HTC3288QS

Fuction: AC 90–260V, DVB–T2, Energy Saving, Wide View, Colour Enhancer, Smart TV, Andriod TV, Youtube, Netflix, Facebook.

Resolution: 1366*768 16:9



Smart TV | HDMI | USB | DVB-T2 | AV



V400

*Frequency response: 35Hz–20KHz
 *S/N ratio: ≥68dB
 *Distortion (THD): ≤0.3% (1W 1KHz)
 *Output Power: SW: 15W X 1, Satellite: 5W X 2
 *Separation: ≥45dB
 *Satellite impedance: 4 Ω
 *Subwoofer impedance: 4 Ω
 *Speaker(Driver) size: SW: 4" X 1, Satellite: 3" X 2
 *Power consumption: 25W
 *Power supply: AC 220V–240V ~50/ 60Hz



V401

*Frequency response: 35Hz–20KHz
 *S/N ratio: ≥68dB
 *Distortion (THD): ≤0.3% (1W 1KHz)
 *Output Power: SW: 15W X 1, Satellite: 5W X 2
 *Separation: ≥45dB
 *Satellite impedance: 4 Ω
 *Subwoofer impedance: 4 Ω
 *Speaker(Driver) size: SW: 4" X 1, Satellite: 3" X 2
 *Power consumption: 25W
 *Power supply: AC 220V–240V ~50/ 60Hz



V402

*Frequency response: 35Hz–20KHz
 *S/N ratio: ≥68dB
 *Distortion (THD): ≤0.3% (1W 1KHz)
 *Output Power: SW: 15W X 1, Satellite: 5W X 2
 *Separation: ≥45dB
 *Satellite impedance: 4 Ω
 *Subwoofer impedance: 4 Ω
 *Speaker(Driver) size: SW: 4" X 1, Satellite: 3" X 2
 *Power consumption: 25W
 *Power supply: AC 220V–240V ~50/ 60Hz



V403

*Frequency response: 35Hz–20KHz
 *S/N ratio: ≥68dB
 *Distortion (THD): ≤0.3% (1W 1KHz)
 *Output Power: SW: 15W X 1, Satellite: 5W X 2
 *Separation: ≥45dB
 *Satellite impedance: 4 Ω
 *Subwoofer impedance: 4 Ω
 *Speaker(Driver) size: SW: 4" X 1, Satellite: 3" X 2
 *Power consumption: 25W
 *Power supply: AC 220V–240V ~50/ 60Hz


SPEAKER



V510




2.1 CH Speaker
With USB/SD/FM/Bluetooth/LED Display/Remote Control/DC 12V
*Output Power: 30W+10Wx2
*Frequency Response: 40Hz-20KHz
*Speaker Unit: 5.25"x3"x2
*P.M.P.O.: 8000W
*S/N Ratio: 75dB



V5201




2.1 CH Speaker
With USB/SD/FM/Bluetooth/LED Display/Remote Control/DC 12V
*Output Power: 30W+10Wx2
*Frequency Response: 40Hz-20KHz
*Speaker Unit: 5.25"x3"x2
*P.M.P.O.: 8000W
*S/N Ratio: 75dB



V635




3.1 CH Speaker
With USB/SD/FM/Bluetooth/Remote Control/DC 12V
*Output Power: 30W+10Wx3
*Frequency Response: 38Hz-20KHz
*Speaker Unit: 6.5"x3"x3
*P.M.P.O.: 10000W
*S/N Ratio: 70dB



V520




2.1 CH Speaker
With USB/SD/FM/Bluetooth/LED Display/Remote Control/DC 12V
*Output Power: 30W+10Wx2
*Frequency Response: 40Hz-20KHz
*Speaker Unit: 5.25"x3"x2
*P.M.P.O.: 8000W
*S/N Ratio: 75dB



V5204




2.1 CH Speaker
With USB/SD/FM/Bluetooth/LED Display/Remote Control/DC 12V
*Output Power: 30W+10Wx2
*Frequency Response: 40Hz-20KHz
*Speaker Unit: 5.25"x3"x2
*P.M.P.O.: 8000W
*S/N Ratio: 75dB



V636



3.1 CH Speaker
With USB/SD/FM/Bluetooth/LED Display/Remote Control/DC 12V
*Output Power: 30W+10Wx3
*Frequency Response: 38Hz-20KHz
*Speaker Unit: 6.5"x3"x3
*P.M.P.O.: 10000W
*S/N Ratio: 70dB



SPEAKER

V610



*Power Output: 60W
*Frequency Response: 38Hz-20KHz
*Distortion: 0.3% at 1W
*S/N: >70dB
*Separation: >45dB
*Voltage: AC220-240V 50/60Hz Function
*Mute
*Input Selected
*Selected To Adjust
*ON/OFF Power Switch Speaker
*Drive Units: 6.5"x1+3"x3
*Impedance: 4Ω
*USB SD Input
*BT
*DC-12V
*Weight: 6.3kg
*Dimensions: 40.5(L)X37.5(W)X35(H)CM



V611



*Power Output: 60W
*Frequency Response: 38Hz-20KHz
*Distortion: 0.3% at 1W
*S/N: >70dB
*Separation: >45dB
*Voltage: AC220-240V 50/60Hz Function
*Mute
*Input Selected
*Selected To Adjust
*ON/OFF Power Switch Speaker
*Drive Units: 6.5"x1+3"x3
*Impedance: 4Ω
*USB SD Input
*BT
*DC-12V
*Weight: 6.3kg
*Dimensions: 40.5(L)X37.5(W)X35(H)CM



V612



*Power Output: 60W
*Frequency Response: 38Hz-20KHz
*Distortion: 0.3% at 1W
*S/N: >70dB
*Separation: >45dB
*Voltage: AC220-240V 50/60Hz Function
*Mute
*Input Selected
*Selected To Adjust
*ON/OFF Power Switch Speaker
*Drive Units: 6.5"x1+3"x3
*Impedance: 4Ω
*USB SD Input
*BT
*DC-12V
*Weight: 6.3kg
*Dimensions: 40.5(L)X37.5(W)X35(H)CM



SPEAKER



V641

*Power Output: 60W
*Frequency Response: 38Hz~20kHz
*Distortion: 0.3% at 1w
*S/N: >70dB *Separation: >45dB
*Voltage: AC220~240V 50/60Hz Function
*Mute *Input Selected *Selected To Adjust
*ON/OFF Power Switch *USB SD Input Speaker
*BT *DC-12V
*Drive Units: 6.5"X1+3"X3
*Impedance: 4 Ω *Weight: 6.3kg
*Dimensions: 40.5(L)X37.5(W)X35(H)CM



V642

*Power Output: 60W
*Frequency Response: 38Hz~20kHz
*Distortion: 0.3% at 1w
*S/N: >70dB *Separation: >45dB
*Voltage: AC220~240V 50/60Hz Function
*Mute *Input Selected *Selected To Adjust
*ON/OFF Power Switch *USB SD Input Speaker
*BT *DC-12V
*Drive Units: 6.5"X1+3"X3
*Impedance: 4 Ω *Weight: 6.3kg
*Dimensions: 40.5(L)X37.5(W)X35(H)CM



V645

*Power Output: 60W
*Frequency Response: 38Hz~20kHz
*Distortion: 0.3% at 1w
*S/N: >70dB *Separation: >45dB
*Voltage: AC220~240V 50/60Hz Function
*Mute *Input Selected *Selected To Adjust
*ON/OFF Power Switch *USB SD Input Speaker
*BT *DC-12V
*Drive Units: 6.5"X1+3"X3
*Impedance: 4 Ω *Weight: 6.3kg
*Dimensions: 40.5(L)X37.5(W)X35(H)CM



V643

*Power Output: 60W
*Frequency Response: 38Hz~20kHz
*Distortion: 0.3% at 1w
*S/N: >70dB *Separation: >45dB
*Voltage: AC220~240V 50/60Hz Function
*Mute *Input Selected *Selected To Adjust
*ON/OFF Power Switch *USB SD Input Speaker
*BT *DC-12V
*Drive Units: 6.5"X1+3"X3
*Impedance: 4 Ω *Weight: 6.3kg
*Dimensions: 40.5(L)X37.5(W)X35(H)CM



V646

*Power Output: 60W
*Frequency Response: 38Hz~20kHz
*Distortion: 0.3% at 1w
*S/N: >70dB *Separation: >45dB
*Voltage: AC220~240V 50/60Hz Function
*Mute *Input Selected *Selected To Adjust
*ON/OFF Power Switch *USB SD Input Speaker
*BT *DC-12V
*Drive Units: 6.5"X1+3"X3
*Impedance: 4 Ω *Weight: 6.3kg
*Dimensions: 40.5(L)X37.5(W)X35(H)CM



SPEAKER

V527

2.1 CH Speaker
With USB/SD/FM/Bluetooth/LED Display/
Remote Control/Jack Line
*Output Power: 25W+5Wx4
*Frequency Response: 35Hz~20KHz
*Speaker Unit: 5.25"+2"x4
*P.M.P.O.: 8000W
*S/N Ratio: 68dB



V838H

*With displayer
*With AUX function
*With USB function
*With CARD function
*With remote control
*Speaker unit: 8"+3"X3
*With Bluetooth function
*With FM RADIO function
*Power volatage: AC 220V 50Hz



V839H

*With displayer
*With AUX function
*With USB function
*With CARD function
*With remote control
*Speaker unit: 8"+3"X3
*With Bluetooth function
*With FM RADIO function
*Power volatage: AC 220V 50Hz



SOUNDBAR

V41SB

*Size(Subwoofer): 120*208*264MM
*Size(Sound bar): 400*72*63MM
*Speaker: SW 4"x1 SAT 2"x2
*Function: BT / USB / AUX / ARC / Remote Control
*RMS: 60W



V51SB

*Size(Subwoofer): 146*268*324MM
*Size(Sound bar): 600*71*71MM
*Speaker: SW5.25" SAT2"*2
*Function: BT / USB / AUX / ARC / Remote Control
*RMS: 60W



V52SB

*Size(Subwoofer): 170*238*353mm
*Size(Sound bar): 840*75*65MM
*Speaker: SW5.25" SAT2"*4
*Function: BT / USB / AUX / OPTICAL / ARC / Remote Control
*RMS: 80W



V535SB

*Size(Subwoofer): 146*268*324MM
*Size(Sound bar): 590*89*60MM
*Size(Surround): 168*89*62MM
*Speaker: SW 5.25"x1 SAT 2"x5
*Function: BT / USB / AUX / ARC / Remote Control
*RMS: 120W



SOUNDBAR

V54SB

*Size(Subwoofer): 135*230*303MM
*Size(Sound bar): 416*77*65MM
*Speaker: SW 5.25" SAT 2"x2
*Function: BT / USB / AUX / ARC / Remote Control
*RMS: 60W+10Wx2



V555SB

*Size(Subwoofer): W170*D238*H353mm
*Size(Sound bar): W840*D77*H63mm
*Size(Surround): W63*D77*H175mm
*Speaker: SW6.5" SAT2"*5
*Function: BT / USB / AUX / OPTICAL / ARC / Remote Control
*RMS: 165W



V61SB

*Size(Subwoofer): 170*309*353MM
*Size(Sound bar): 840*66*72MM
*Speaker: SW6.5" SAT2"*4
*Function: BT / USB / AUX / OPTICAL / ARC / Remote Control
*RMS: 120W



V81SB

*Size(Subwoofer): W 175 x D360 x H390mm
*Size(Sound bar): W840*D71*H71mm
*Speaker: SW8" SAT2"*4
*Function: BT / USB / AUX / OPTICAL / ARC / Remote Control
*RMS: 160W



WATER DISPENSER



A3

- *Special Economy model
- *Warm model
- *Approximately 75cm high

Size: 280*287*820mm (L*W*H)
Voltage: Hot Tank: 220-240v

Hot

Normal



A7

- *Business model, new style
- *Warm model
- *Push cup tap
- *Approximately 75cm high

Size: 280*287*820mm (L*W*H)
Voltage: Hot Tank: 220-240v

Hot

Normal

WATER DISPENSER



A5C

- *Economy model
- *Hot & cold model
- *Approximately 75cm high

Size: 280*287*820mm (L*W*H)
Voltage: Hot Tank: 220-240v
Cold Tank: 220-240v

Hot

Cold



B5C

- *Economy model
- *Black gold body
- *Ice-heat model
- *Approximately 75cm high

Size: 280*290*820mm (L*W*H)
Voltage: Hot Tank: 220-240v
Cold Tank: 220-240v

Hot

Cold



B3

- *Special Economy model
- *All black body
- *Warm model
- *Approximately 75cm high

Size: 280*287*820mm (L*W*H)
Voltage: Hot Tank: 220-240v

Hot

Normal



B7

- *Business model, All black body
- *Warm model
- *Push cup tap
- *Approximately 75cm high

Size: 280*287*820mm (L*W*H)
Voltage: Hot Tank: 220-240v

Hot

Normal



A7C

- *Business model, new style
- *Hot and cold models
- *3 Push Cup Taps
- *Approximately 75cm high

Size: 280*287*820mm (L*W*H)
Voltage: Hot Tank: 220-240v
Cold Tank: 220-240v

Hot

Normal

Cold



B7C

- *Business model, All blackbody
- *Hot and cold models
- *3 Push Cup Taps
- *Approximately 75cm high

Size: 280*290*820mm (L*W*H)
Voltage: Hot Tank: 220-240v
Cold Tank: 220-240v

Hot

Normal

Cold

WATER DISPENSER



G5C

*Business model, glassmodel
*Hot and cold models
*1*Knob tap+1*Push cup tap
*Approximately 75cm high

Size: 280*243*820mm (L*W*H)
Voltage: Hot Tank: 220-240v
Cold Tank: 220-240v

Hot

Cold



VIT-950

*Business model, new style
*Hot and cold models
*3 Push Cup Taps
*Approximately 75cm high

Size: 280*287*820mm (L*W*H)
Voltage: Hot Tank: 220-240v
Cold Tank: 220-240v

Hot

Normal

Cold



L9C

*Business model, new style
*Hot and cold models
*3 Push Cup Taps
*Approximately 95cm high

Size: 305*287*977mm (L*W*H)
Voltage: Hot Tank: 220-240v
Cold Tank: 220-240v

Hot

Normal

Cold



VIT-951

*Business model, new style
*Hot and cold models
*3 Push Cup Taps
*Approximately 75cm high

Size: 280*287*820mm (L*W*H)
Voltage: Hot Tank: 220-240v
Cold Tank: 220-240v

Hot

Normal

Cold

KETTLE



X1

*Stainless steel body
*1.5m power cord
*Voltage :220-240v



P3

*Colourful plastic body
*1.5m power cord
*Voltage :220-240v



P4

*Colourful plastic body
*1.5m power cord
*Voltage :220-240v



P5

*Steel-plastic composite body
*1.5m power cord
*Voltage :220-240v



P6

*Steel-plastic composite body
*1.5m power cord
*Voltage :220-240v



P7

*Steel-plastic composite body
*Temperature control
*1.5m power cord
*Voltage :220-240v

P2

*Colourful plastic body
*1.5m power cord
*Voltage :220-240v



BLENDER



988

*Durable ABS body
*1.2m power cord
*Voltage :220-240v
*Unbreakable cup material
*3-cycle motor
(180 seconds without stalling)



Y69

*Durable ABS body
*1.2m power cord
*Voltage :220-240v
*Unbreakable cup material
*3-cycle motor
(180 seconds without stalling)



Y70

*Durable stainless steel body
*1.2m power cord
*Voltage :220-240v
*Unbreakable cup material
*3-cycle motor
(180 seconds without stalling)



Y71

*Durable stainless steel body
*1.2m power cord
*Voltage :220-240v
*Unbreakable cup material
*3-cycle motor
(180 seconds without stalling)



Y77

*Durable stainless steel body
*1.2m power cord
*Voltage :220-240v
*Unbreakable cup material
*3-cycle motor
(180 seconds without stalling)



Y78

*Durable stainless steel body
*1.2m power cord
*Voltage :220-240v
*Unbreakable cup material
*3-cycle motor
(180 seconds without stalling)



Y79

*Durable stainless steel body
*1.2m power cord
*Voltage :220-240v
*Unbreakable cup material
*3-cycle motor
(180 seconds without stalling)

FREEZER

VDF99SG / VDF99SW

Climate class T
Total storage volume 97L
Rated voltage 220-240V~



Single flip up lid for easy access
Adjustable temperature control
Defrost drain
Easy to clean interior
Removable storage basket
Energy savingeco friendlylow noise
Fast cooling



VDF142SG / VDF142SW

Climate Class T
Total Storage Volume 137L
Rated Voltage 220-240V~



Single flip up lid for easy access
Adjustable temperature control
Defrost drain
Easy to clean interior
Removable storage basket
Energy savingeco friendlylow noise
Fast cooling

VDF198SW / VDF198SG

Climate Class T
Total Storage Volume 198L
Rated Voltage 220-240V~



Single flip up lid for easy access
Adjustable temperature control
Defrost drain
Easy to clean interior
Removable storage basket
Energy savingeco friendlylow noise
Fast cooling



REFRIGERATOR

VDR90SG / VDR90SS

Total net capacity(Liter)	92	Mechanical temperature control
Net fridge capacity(Liter)	92	Stylish Interior LED light
Net freezer capacity(Liter)	/	Glass shelves
New European Energy Class	F	Crystal crisper drawer
Old European Energy Class	A+	Crystal door balconies
Star Rating	★★★★	2L bottle rack
		Reversible door
		American Style optional
Dimension(WxDxH cm)	48.5X45X83	



VDR128DS

Total net capacity (Liter)	125	Mechanical temperature control
Net fridge capacity (Liter)	92	Stylish Interior Light
Net freezer capacity (Liter)	33	Tempered Glass Shelves
New European Energy Class	F	Crystal crisper drawer
Star Rating	★★★★	Crystal door balconies
Dimension (WxDxH cm)	48x51x112	Reversible door
Loading (40°C)	184(Horizontal Loading: Max 210)	



VDR170DS

Total net capacity (Liter)	166	Mechanical temperature control
Net fridge capacity (Liter)	121	Stylish Interior Light
Net freezer capacity (Liter)	45	Tempered Glass Shelves
New European Energy Class	A	Crystal crisper drawer
Star Rating	★★★★	Crystal door balconies
Dimension (WxDxH cm)	48x50x153	Reversible door
Loading (40°C)	149	

REFRIGERATOR

VDR208DS

Total net capacity (Liter)	206	Mechanical temperature control
Net fridge capacity (Liter)	169	Stylish Interior Light
Net freezer capacity (Liter)	37	Tempered Glass Shelves
New European Energy Class	F, E, D	Crystal crisper drawer
Star Rating	★★★★	Crystal door balconies
Dimension (WxDxH cm)	55x56x143	Reversible door
Loading (40°C)	142	



VNR216DS

Total net capacity(Liter)	198	Total no frost
Net fridge capacity(Liter)	144	Electronic temperature control
Net freezer capacity (Liter)	54	Stylish Interior Light
New European Energy Class	F	Chiller zone with easy slide food pan
Old European Energy Class	A+	Large crisper drawer with humidity control
Star Rating	★★★★	Reversible door
Dimension(WxDxH cm)	55x60x142	



VNR269DS

Total net capacity (Liter)	197	Total no-frost
Net fridge capacity (Liter)	145	Electronic temperature control
Net freezer capacity (Liter)	52	Stylish Interior Light
New European Energy Class	F, E	Chiller zone with easy slide food pan optional
Star Rating	★★★★	Large crisper drawer with humidity control
Dimension (WxDxH cm)	55x56x143	Twist ice maker optional
Loading (40°C)	142	Reversible door

